PRELIMINARY

CradlePoint ARC CBA750B Series

INTEGRATED MOBILE BROADBAND ADAPTER

Wireless WAN connectivity for distributed business locations



Mobile Broadband to Ethernet Adapter

WIRELESS WAN CONNECTIVITY

The CradlePoint CBA750B Integrated Mobile Broadband Series adapters enable easy-to-install wireless WAN connectivity in fixed-business locations. For distributed enterprises like branch offices, retail stores, restaurants, and small businesses, the CBA750B provides 3G/4G wireless network connectivity to keep your business up and running.

FAILOVER MADE SIMPLE

The CradlePoint CBA750B 3G/4G Mobile Broadband Adapter provides IP Pass-Through capabilities for any device that requires wireless broadband access. For most applications, simply connect the CBA750B, to an existing CPE router configured for WAN failover, and it's ready to go. The CBA750B handles the wireless WAN connection through the integrated 3G/4G modems when failover occurs.

PRIMARY CONNECT IS EASY TOO

For temporary networks, or when wired connections are impractical, the CBA750B can serve as a primary-connect device converting mobile broadband to Ethernet for point-of-sale devices, digital signs and kiosks.

KEY FEATURES

- Integrated 3G/4G mobile broadband connectivity
- Drop-Into" existing network for a turnkey failover solution
- · Remote management capabilities
- Power-over-Ethernet

PERFORMANCE AND RELIABILITY

Engineered for day-in, day-out 24/7 Internet connectivity, the Integrated Business Series products extend the benefits of WiPipe technology across the router and the modem, ensuring reliable connections when you need them. The CBA750B can also run in router mode with access to CradlePoint's powerful suite of routing capabilities. Power-Over-Ethernet enables flexible mounting location and external high-gain antennas ensure optimal performance in areas of low signal strength.

WIPIPE CENTRAL: CLOUD-ENABLED MANAGEMENT


Rapidly deploy and dynamically manage networks at geographically distributed stores and branch locations with WiPipe Central, a cloud-enabled application and security platform. WiPipe Central integrates cloud management with your CradlePoint devices to improve productivity, increase reliability, reduce costs, and enhance the intelligence of your network and business operations.

Subscription required. See **cradlepoint.com/wipipe** for details.

CRADLECARE SERVICES

The CBA750B comes with a standard 1 year warranty. For extended warranties and other enhanced services including enterprise-level support, site surveys, and expert installation, check out CradlePoint's CradleCare suite of services.

Subscription required. See **cradlepoint.com/cradlecare** for details.



www.cradlepoint.com/ARCCBA750B



ARC CAB750B Integrated Cellular Broadband Router Key Features and Benefits

Internet Access and Device Connectivity

Integrated high-speed 3G/4G modem - see attached specifications

1 Ethernet 10/100 LAN port for Ethernet-enabled devices

WiPipe Technology Modem Health Management with 24x7 connection verification ensures the wireless connection will be there when you need it

Business Continuity: Failover/Failback

Automatic failover to wireless WAN connection when wired WAN disruption occurs, automatic failback when wired WAN connection is restored

Proactive alerts when failover occurs through WiPipe Central™

Flexibility

First-time and advanced setup wizards for easy, swift, and secure setup

One-page dashboard to view router status and configuration

Remote management with WiPipe Central™, SNMP v1/2c/3, and CLI over SSH

Power-Over-Ethernet Enable flexible location for convenience and best reception using existing CAT-5 cabling

IP Pass-through support provides broadband-to-Ethernet adapter

Data usage management and alerts to monitor data usage and avoid overages

LAN/WAN Affinity to assign specific LAN traffic to a WAN

Advanced diagnostics tools including: tcpdump, netfilter, traceroute

Security

SPI (stateful packet inspection) firewall and NAT (network address translation) to prevent unwanted access to connected computers

Advanced security mode and reporting to facilitate PCI-DSS compliance

Variety of security features (URL filtering, IP & traffic filtering, DMZ, port forwarding) for safer Internet access

802.1Q VLAN support to isolate, segment, and secure your network

Service, Support, and Warranty

CradleCare Premier 1, 2, and 3 year Enterprise Support Agreements available with 24/7 technical support, software upgrades, and advanced hardware exchange

Limited 1 year warranty included, access to software updates and hardware repair or replacement – 2 and 3 year warranty extensions available

CradleCare Site Survey and Installation services offered for rapid deployment

Specifications

WAN Wireless WAN modem

LAN one 10/100/ Ethernet ports

TEMPERATURE 0°C to 50°C (32°F to 122°F) operating -20°C to 70°C (-4°F to 158°F) storage

RELATIVE HUMIDITY (non-condensing) 10% to 85%, operating 5% to 90%, storage

SIZE 9x5.1x1.6 in (230x130x40 mm) or 9x7.25x1.6 in (230x185x40 mm)

CERTIFICATIONS FCC, CE, carrier certifications

What's In The Box

ARC CBA750B with integrated business-class wireless WAN modem

External 3G or 4G mobile broadband modem antennas (2) (SMA) w/multiplexing for GPS (on some models), finger tighten only

12V / 1.5A power supply

Quick Start Guide with warranty information

Requirements

Internet Service Active mobile broadband plan with cellular provider or Ethernet-based Internet connection (DSL, Cable, T1)

Browser (to configure router) Minimum of Firefox v2.0, Internet Explorer v7.0, Chrome, or Safari v1.0

Router Details

WAN Security NAT, SPI, ALG, inbound filtering of IP addresses, port blocking, service filtering (FTP, SMTP, HTTP, RPL, SNMP, DNS, ICMP, NNTP, POP3, SSH), protocol filtering, WAN ping (allow/ignore)

Intelligent Routing UPnP, DMZ, virtual server/port forwarding, routing rules, NAT-less routing, wired or wireless WAN-to-LAN IP passthrough, route management, per-interface routing, content filtering, IP filtering, website filtering, per-client Web filtering, local DHCP server, DHCP client, DHCP relay, DNS, DNS proxy; ALGs: PPTP, L2TP, PPPoE passthrough, IPsec passthrough, FTP (passive), FTP (active), SIP, TFTP, IRC, MAC address filtering, Dynamic DNS, LAN/WAN affinity, VLAN support (802.1Q), IP setting overrides

Management WiPipe Central™ cloud-enabled management and application platform (subscription-based); web-based GUI (local management), optional RADIUS or TACACS+ username/password; remote WAN web-based management w/ access control (HTTP, HTTPS); SNMPP v1, v2c, & v3; CLI over SSH, SSH to serial, SSH to telnet; API; one-button firmware upgrade; modem configuration, update, and management; modem data usage w/ alerts, per-client data usage; custom AT scripting to modems

Performance & Health Monitoring Modem Health Management (MHM) improves connectivity of modem, several levels of basic and advanced logging for troubleshooting

GPS Standalone GPS supported on most models (see attached); GUI mapping as well as local (LAN) or remote (WAN) server logging



Ordering information

ARC CBA750B Integrated Business Series Routers		
ARC CBA750B-LE-VZ	Business series router with dual-mode, high-performance 4G LTE / EVDO wireless WAN connection for the Verizon network	
ARC CBA750B-W	Business series router with dual-mode, high-performance 4G LTE / HSPA+ wireless WAN connection for the AT&T network	
ARC CBA750B-LP-AT	Business series router with high-performance WIMAX wireless WAN connection for the Sprint or CLEAR networks	

Cloud-Enabled Management and Application Platform

WiPipe Central

Rapidly deploy and dynamically manage networks at geographically distributed stores and branch locations with WiPipe Central, a cloud-enabled application and security platform. WiPipe Central integrates cloud management with your CradlePoint devices to improve productivity, increase reliability, reduce costs, and enhance the intelligence of your network and business operations.

- Deployment configure devices by groups or individually, and update firmware easily with a few clicks.
- Management monitor device statuses and set proactive alerts for optimized 3G/4G data usage and network uptime.
- Intelligence view network analytics, manage security and PCI compliance, and measure mobile customer traffic using WiFi analytics.

Annual and multi-year licenses available. See cradlepoint.com/wipipe for details.

Enterprise Support Agreements

CradleCare Premium

When your applications are mission critical, you need the assurance that only the CradleCare Premier plan can provide: 24-hour coverage every day, all year – including holidays. As a CradleCare Premier customer, you will be assigned an account engineer* for consistency and follow-up on all your cases, with periodic case reviews provided.

Complete technical support, 24/7 coverage; unlimited 24-hour technical support center
assistance; extended warranty; next-day parts replacement; assigned account engineer*;
guaranteed response times; online video-based training sessions; software bug fixes and
upgrades; advanced replacement; access to CradlePoint Enterprise Advanced Services
Knowledge Base and online documentation.

*Account engineer for customers with 50+ sites.

CradleCare Warranty Extension

This plan represents an extension of the standard 1-year CradlePoint warranty to 2 or 3 years.

• One-time enterprise technical support; software bug fixes; access to CradlePoint Enterprise Advanced Services Knowledge Base and online documentation; hardware repair/replacement.

Accessories (see CradlePoint's antenna ordering and installation guide for more information)

Part # 170587-000	Directional Patch antennas for external (outside) mounting
Part # 170588-000	Directional Yagi (Log-Periodic) antennas for external (outside) mounting
Part # 170586-000	Omni-directional antennas for external (outside) mounting
Part # 170605-000	12" Mag-mount antenna
Part # 170606-000	4" Mini mag-mount antenna



BUSINESS-GRADE MODEM SPECIFICATIONS:

ARC CBA750B-LE-VZ Verizon

4G LTE/EVDO for

Technology: LTE, EVDO Rev A

Downlink Rates: LTE 100 Mbps, EVDO 3.1 Mbps (theoretical)

Uplink Rates: LTE 50 Mbps, EVDO 1.8 Mbps (theoretical)

Frequency Bands:

• LTE Band 13 (700 MHz)

CDMA EVDO Rev A/1xRTT (800/1900 MHz)

Power: LTE 23 +/- 1 dBm, EVDO 24 +/- 1 dBm (typical conducted)

Module: Sierra Wireless MC7750

Antennas: two SMA male (plug), 1 dBi (LTE), 2 dBi (Cellular/PCS)

gain; finger tighten only; maximum torque spec is 7 kgf-cm

GPS: standalone GPS support

Industry Standards & Certs: FCC, Verizon

Modem Part Number: MC2001 F-V7

ARC CBA750B-W CLEAR

4G WiMAX for Sprint or

Technology: WiMAX 802.16e Wave 2

Downlink Rates: 10 Mbps peak, 6 Mbps average

Uplink Rates: 5 Mbps peak, 1.2 Mbps average

Frequency Band: 2500 MHz band

Power: 23.5 +/- 0.5 dBm (RSU/CPE)

Module: Beceem 250 chipset

Antennas: two SMA male (plug), 5 dBi gain; finger tighten only;

maximum torque spec is 7 kgf-cm

GPS: no GPS support

Industry Standards & Certs: FCC, Sprint, CLEAR

Modem Part Number: MC100W

ARC CBA750B-LP-AT AT&T

4G/3G LTE/HSPA+ for

Technology: LTE, HSPA+

Downlink Rates: LTE 100 Mbps, HSPA+ 21.1 Mbps (theoretical)

Uplink Rates: LTE 50 Mbps, HSPA+ 5.76 Mbps (theoretical)

Frequency Bands:

• LTE Band 17 (700 MHz), Band 4 (AWS)

- HSPA+/UMTS (850/1900/2100 MHz)
- GSM/GPRS/EDGE (850/900/1800/1900 MHz)

Power: LTE 23 +/- 1 dBm, UMTS 23 +/- 1 dBm (typical conducted)

Module: Sierra Wireless MC7700

Antennas: two SMA male (plug), 1 dBi (LTE), 2 dBi (Cellular/PCS) gain; finger tighten only; support for GPS on aux connection

GPS: standalone GPS support

Industry Standards & Certs: PTCRB, FCC, IC, AT&T

Modem Part Number: MC200LP-AT

